

HiDura™ LUX

Amorphous Nylon

Clearly the superior choice

Improve orientation and thermoforming of films, while enhancing gloss and clarity with HiDura LUX amorphous nylon technology. Designed specifically as a modifier for existing nylon layers or compounds. HiDura LUX easily mixes with other nylons such as PA6, PA66/6 and PA6/66, has excellent flow for processing and can be reground for introduction back into the process.

Highlights



Enhances optical properties such as clarity and gloss



Improves organoleptic barrier



Improves film orientation through crystallinity disruption





Improves thermoforming performance and melt stability



Approved for food contact

HiDura LUX amorphous nylon improves oxygen and moisture barrier performance

HiDURA™
LUX



Brand Name

Grade

Description

HiDura LUX

H3X

Natural color
amorphous nylon

[Click here to view technical data sheets](#)

Applications

- / Shrink films
- / Fiberboard packaging
- / Thermoforming films



HiDURA™
LUX

For more information, contact our expert applications specialists or visit ascendmaterials.com.

©2022 Ascend Performance Materials Operations LLC. The Ascend Performance Materials, Vydine and HiDura marks and logos are trademarks or registered trademarks of Ascend Performance Materials Operations LLC. Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Ascend Performance Materials Operations LLC makes no representations or warranties as to the completeness or accuracy thereof. The full disclaimer of warranty and liability can be found at ascendmaterials.com/disclaimer.

REV 10/2022